

## NT 22/1 AP L

Compact yet unbelievably powerful wet and dry vacuum cleaner entry-level unit. Due to its low weight, the NT 22/1 Ap is ideal for mobile use.



**Order no.** 1.378-605.0

- 22-litre container, low weight, dust class L
- Semi-automatic Ap filter cleaning
- 300 mm floor nozzle, crevice nozzle, PES cartridge filter

### Technical data

<b>EAN code</b>		886622027706
<b>Number of current phases</b>	<b>Ph</b>	1
<b>Voltage</b>	<b>V</b>	120 - 120
<b>Frequency</b>	<b>Hz</b>	60 - 60
<b>Air flow</b>	<b>l/s</b>	71
<b>Vacuum</b>	<b>mbar / kPa</b>	235 / 23.5
<b>Container capacity</b>	<b>l</b>	22
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	max. 1300
<b>Standard nominal width</b>		35
<b>Cable length</b>	<b>m</b>	6
<b>Sound pressure level</b>	<b>dB(A)</b>	73
<b>Colour</b>		anthracite
<b>Weight without accessories</b>	<b>kg</b>	5.7
<b>Weight incl. packaging</b>	<b>kg</b>	9.1
<b>Dimensions (L × W × H)</b>	<b>mm</b>	380 × 370 × 480

### Equipment


<b>Suction hose length</b>	<b>m</b>	1.9
<b>Bend</b>		Plastic
<b>Quantity of suction tubes</b>	<b>Piece(s)</b>	2
<b>Suction tubes length</b>	<b>mm</b>	505
<b>Suction tubes material</b>		Plastic
<b>Quantity of filter bags</b>	<b>Piece(s)</b>	1
<b>Filter bag material</b>		Fleece
<b>Wet/dry floor nozzle width</b>	<b>mm</b>	300
<b>Crevice nozzle</b>		■
<b>Cartridge filter</b>		PES
<b>Filter cleaning</b>		Semi-automatic Ap filter cleaning
<b>Protection class</b>		II
<b>Stop swivel castor</b>		■

■ Included in the scope of supply.



### Low weight and compact dimensions

- The machine can be easily and conveniently transported and stored.



### Semi-automatic Ap filter cleaning

- Semi-automatic filter cleaning effectively ensures constant high suction power.



### Moisture-resistant PES cartridge filter

- Changing from wet to dry vacuuming is easy, with no need to dry the PES cartridge filter first.
- Washable PES filter.

## ACCESSORIES FOR NT 22/1 AP L 1.378-605.0



	Order no.	Description	
<b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>			
<b>Cartridge filter PES</b>			
PES cartridge filter, for wet and dry vacuum cleaners	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified. ■
<b>BENDS</b>			
<b>Bend, plastic</b>			
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. ■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	3	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. □
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	4	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. □
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	5	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end. □
<b>SUCTION NOZZLES</b>			
<b>Crevice nozzles</b>			
Crevice nozzle, DN 35, plastic, 225 mm long	6	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm. ■
<b>Floor nozzles</b>			
Wet/dry floor nozzle, Adv, DN 35, width 360 mm	7	2.889-152.0	For wet/dry cleaning: plastic Adv floor nozzle with width of 360 mm and nominal size of DN 35. Includes brush strips and squeegees that are easy to change. □
<b>Car cleaning nozzles</b>			
Car nozzle, ID 35, 90 mm	8	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm. □
<b>SUCTION TUBES</b>			
<b>Suction tubes, plastic</b>			
Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: HV 1/1 Bp, NT 22/1, NT 27/1, NT 48/1, ProNT 600 L	9	2.889-218.0	The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher. ■
<b>Suction tubes, metal</b>			
Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1, T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2	10	6.902-074.0	Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long. □
<b>FILTER BAGS</b>			
<b>Fleece filter bags</b>			
Fleece filter bags, 5 Piece(s), NT 22/1	11	2.889-217.0	Tear-resistant 3-layer fleece filter bags of dust class L, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack. □
<b>SUCTION HOSES</b>			
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>			
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	12	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. □
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	13	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners. □

■ Included in the scope of supply. □ Available accessories.